



NTN BEARING INDONESIA



7016CDB/GNP5 Bearing 2D drawings and 3D CAD models

3.15 Inch | 80 Millimeter x 4.921 Inch | 125 Millimeter x 1.732 Inch | 44 Millimeter NTN 7016CDB/GNP5 Precision Ball Bearings

Bearing No. 7016CDB/GNP5

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.666
EAN	4547359433364
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 5 ISO P5
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Back to Back
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row Angular Contact
Long Description	80MM Bore; 125MM Outside Diameter; 44MM Width; Open Enclosure; ABEC 5 ISO P5 Precision; Steel Ball Material; 2 (1 Pair)



NTN BEARING INDONESIA

	Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Racew
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7016CDB/GNP5
Weight / LBS	3.673
d	3.15 Inch 80 Millimeter
D	4.921 Inch 125 Millimeter
B	1.732 Inch 44 Millimeter
bore diameter:	80 mm
cage material:	Nylon
outside diameter:	125 mm
finish/coating:	Uncoated
overall width:	44 mm
inner ring width:	22 mm
contact angle:	15 °
maximum rpm (oil):	14640 rpm
duplex type:	Back to Back
maximum rpm (grease):	9120 rpm
closure type:	Open
outer ring width:	22 mm
operating temperature range:	-40 to 120 ° C
fillet radius:	1.1 mm
bearing material:	High Carbon Chrome Steel
manufacturer product page:	Click here
precision rating:	ISO Class 5



NTN BEARING INDONESIA